

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4881	(amplitud) with (Phase adj (error or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:56
		((multi adj channel) or (plural adj channels)) and transmitter and receiver and (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:30
		375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:49
L2	31	375/354 and master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:53
L3	80	375/354 and resolution and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:53
L4	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:54
L5	0	375/354 and master and slave and (clock adj recovery) and (resolution with metric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:54
L6	7	375/354 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:13
L7	2	375/355 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:14
L8	1	375/358 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:14

L9	0	375/359 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:15
L10	3	375/362 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:16
L11	7	375/371 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:17
L12	2	375/375 and master and slave and (clock adj recovery) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 07:17
S1	0	"09/942820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:56
S2	2236	375/356	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 09:57
S3	2	master and slave and (clock adj recovery) and metric and (delay adj element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:16
S4	0	(bi adj directonal) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:12
S5	0	(bi adj directional) and (communicaton adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:12
S6	5	(bi adj directional) and (communication adj link) and (plural adj channels)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13

S7	0	(bi adj directional) and (communication adj link) and (plural adj channels) and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S8	73218	masterand slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S9	54495	master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:13
S10	615	master and slave and (clock adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:14
S11	34	S2 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:14
S12	9	master and slave and (clock adj recovery) and metric and delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:22
S13	0	(multi adj channel) and (transmitter near2 clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:25
S14	0	(multi adj channel) and (transmitter with clock) and (receiver with (clock adj recovery) with delay with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S15	0	(multi adj channel) and (transmitter with clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26
S16	0	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay same control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:26

S17	18	(multi adj channel) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:28
S19	29	((multi adj channel) or (plural adj channels)) and transmitter and receiver and ((clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:40
S20	1031	(clock adj recovery) same delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:40
S21	40	(clock adj recovery) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 07:41
S22	15	(receiver with (clock adj recovery)) same delay and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ¹	2004/11/24 08:31
S23	12	(receiver with (clock adj recovery)) same delay and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:48
S24	26	(receiver with (clock adj recovery)) same delay and lan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:37
S25	1	(receiver with (clock adj recovery)) same delay and dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:50
S26	32	(receiver with (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:53
S28	138	(receiver same (clock adj recovery)) and (adsl or (subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 08:55

S29	69	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S30	0	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (corss adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:04
S31	9	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and (cross adj talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:10
S33	86447	leading with trailing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:28
S34	23440	leading with trailing with edges	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:30
S35	8	"leading and trailing edges"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:29
S36	5956	leading with trailing with edges with between	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:58
S37	0	S29 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S38	229	S36 and master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31
S39	48	S36 and master and slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 09:31

S40	72	leading with trailing with edges with between and (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:00
S41	10	(leading with trailing with edges with between) same (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:00
S42	6	(leading with trailing with edges with between) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:59
S43	146	(amplitude with level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:06
S44	14	(amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:01
S45	0	(allow adj amplitude adj level) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:07
S46	0	(allow adj amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:09
S47	2134	(amplitude) with (phase adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 10:09
S48	1	(turbo adj code\$1) with (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:03
S49	1	(turbo adj code\$1) same (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:12

S50	1	(turbo adj code\$1) with (algebra\$6 adj encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:04
S51	32	algebra\$6 adj encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 11:06
S52	167	adsl and fext and next	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S53	128	adsl and fext and next and crosstalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S54	22	adsl and fext and next and crosstalk and (timing adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:10
S55	4	(receiver same (clock adj recovery)) and (adsl or (digital adj subscriber adj line)) and fext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:54
S56	41	(receiver same (clock adj recovery)) and adsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:07
S57	18	((multi adj channel) or (plural adj channels)) and (transmitter same clock) and (receiver same (clock adj recovery) same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:11
S58	13	(timing adj recovery) with (subscriber adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:15
S59	5	("4214128" "4494211" "4514760" "5048061" "5062124").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 15:29

S60	0	(allow\$3 adj amplitud) and (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:54
S61	2	(amplitud) with (Phase adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:56
S62	2	(amplitud) with (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:18
S63	11	(eye adj diagram) with (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:59
S64	2	(amplitud) same (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:18
S65	6	(amplitud) and (Phase adj (error or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 06:49

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 4 of about 5 for **between "allowed amplitude" resolution slave**. (0.04 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] New algorithms for hyperbolic radionavigation - Radar and Signal ...

File Format: PDF/Adobe Acrobat

... response in the time domain **allowed amplitude** settling to ... be difficult to achieve adequate tracking **between** the RF ... P, and hence maximises the **resolution** of the ...
ieeexplore.ieee.org/iel1/2209/5469/00210678.pdf - [Similar pages](#)

[PS] Title: New algorithms for hyperbolic radionavigation Author: AJ ...File Format: Adobe PostScript - [View as Text](#)

... the response in the time domain **allowed amplitude** settling to ... Now the orange frequencies all lie **between** f35 and ... P, and hence maximizes the **resolution** of the ...
www-users.cs.york.ac.uk/~fisher/pubs/navig.ps.Z - [Similar pages](#)

[PS] Microprocessor-basedFile Format: Adobe PostScript - [View as Text](#)

... response in the time domain **allowed amplitude** settling to ... difficult to achieve adequate tracking **between** the RF ... somemaximum count P-1. The **resolution** to which ...
www.cs.york.ac.uk/ftpd/ir/reports/YCS-93-194.ps.Z - [Similar pages](#)

[PDF] Handout OneFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... a debate has been going on for a couple of years **between** advocates of ... 96 dB • theoretical SNR (for sinusoidal signal of maximum **allowed amplitude**) at least ...
www.inthedia.net/audiorus/dscworkbook.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your email, files, chats & web history. [Download Now.](#)[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Your search matched **0** of **1097671** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **3** of **1097671** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Performance of a 6 to 18 GHz frequency translator utilizing GaAs MMIC 5-bit digital phase shifter
Mazumder, S.R.; Isham, C.M.;

 Microwave Symposium Digest, 1995., IEEE MTT-S International , 16-20 May 1995
 Pages:5 - 8 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(433 KB\)\]](#) IEEE CNF

2 Data bearing peak reduction carriers for OFDM systems
Tan, C.E.; Wassell, I.J.;

 Information, Communications and Signal Processing, 2003 and the Fourth Pacific Rim Conference on Multimedia. Proceedings of the 2003 Joint Conference of the Fourth International Conference on , Volume: 2 , 15-18 Dec. 2003
 Pages:854 - 858 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) IEEE CNF

3 Performance of a 6 to 18 GHz frequency translator utilizing GaAs MMIC 5-bit digital phase shifter
Mazumder, S.R.; Isham, C.M.;

 Microwave and Millimeter-Wave Monolithic Circuits Symposium, 1995. Digest of Papers., IEEE 1995 , 15-16 May 1995
 Pages:141 - 144

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved